

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:
SINK SEAL

HMIS CODES: H F R P
PRODUCT CODE: 1051 1 0 1 E

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: C-CURE
ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201
EMERGENCY PHONE: (323) 582-0846 INFORMATION PHONE: (323) 582-0846
DATE REVISED: 03-10-03 CONTACT PERSON: STEVE TAYLOR

SECTION II - INGREDIENTS/SARA III INFORMATION

OCCUPATIONAL EXPOSURE VAPOR
LIMITS PRESSURE Wt
COMPONENTS CAS NUMBER OSHA PEL ACGIH TLV mm Hg @ TEMP %
STYRENE BUTADIENE
CO-POLYMER/WATER
DISPERSION PROPRIETARY N/A
NOT A HAZARDOUS MATERIAL AS DEFINED IN TITLE 29 CFR PARTS 1900 TO
1910.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 100 C (212 F) SPECIFIC GRAVITY (H₂O=1): 1.08- 1.14
VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: <1
(BUTYL/ACETATE=1)
SOLUBILITY IN WATER: DISPERSIBLE VAPOR PRESSURE: 17.5 mg Hg @70F
APPEARANCE AND ODOR: BRIGHT RED VISCOUS- BLAND ODOR.
MELTING POINT: N/A

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A

FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: N/A

SPECIAL FIREFIGHTING PROCEDURES: WATER FOG-DRIED RESIN ONLY.

UNUSUAL FIRE AND EXPLOSION HAZARDS: AS LATEX, MATERIAL'S NOT COMBUSTIBLE;

HOWEVER, THE DRIED RESIN IS COMBUSTIBLE SIMILAR TO WOOD.

BURNING DRY RESIN

EMITS DENSE BLACK SMOKE.

FIRE FIGHTING EQUIPMENT: WEAR POSITIVE SELF CONTAINED

BREATHING APPARATUS.

1051 MATERIAL SAFETY DATA SHEET PAGE 2 OF 3

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): NOT KNOWN

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: IF DRYED FILM BURNS, IT WILL PRODUCE

CARBON MONOXIDE AND LOW MOLECULAR-WEIGHT ORGANIC COMPOUNDS. ACID)

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NONE KNOWN

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE MAY CAUSE IRRITATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE MAY CAUSE IRRITATION.

HEALTH HAZARDS (ACUTE AND CHRONIC)

ACUTE: MAY CAUSE IRRITATION TO EYES AND SKIN.

CHRONIC: NONE KNOWN

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED?

NO. SIGNS & SYMPTOMS OF EXPOSURE: MEDICAL CONDITIONS

GENERALLY AGGRAVATED BY EXPOSURE: HYPERSENSITIVE

INDIVIDUALS MAY DEVELOP ALLERGENIC DERMATITIS. EMERGENCY AND

FIRST AID PROCEDURES: INGESTION: SEE PHYSICIAN. EYES: FLUSH WITH

WATER. SKIN: FLUSH WITH WATER.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
MATERIAL SHOULD BE
MIXED WITH ABSORBENT MATERIAL AND PLACED IN SUITABLE
CONTAINER FOR DISPOSAL.
WASTE DISPOSAL METHOD: DISPOSE OF IN APPROVED LANDFILLS
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
STORE AT NORMAL AMBIENT CONDITIONS

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION: NONE
VENTILATION: LOCAL EXHAUST
PROTECTIVE GLOVES: RUBBER RECOMMENDED
EYE PROTECTION: TIGHT FITTING SPLASH GOGGLES.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:
WORK/HYGIENIC PRACTICES
GOOD HOUSEKEEPING PRACTICES SHOULD BE USED.

SECTION IX – DISCLAIMER

DISCLAIMER
THE INFORMATION PRESENTED IS BELIEVED TO BE ACCURATE BUT IS NOT
WARRANTED TO BE. WHETHER ORIGINATING WITH THE COMPANY OR
NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT
THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR
CIRCUMSTANCE.